CHAPTER 5

WATER QUALITY PARTNERSHIPS IN THE PICKWICK LAKE WATERSHED

- 5.1 Background
- 5.2 Federal Partnerships
 - 5.2.A. Natural Resources Conservation Service
 - 5.2.B. United States Geological Survey
 - 5.2.C. United States Fish and Wildlife Service
 - 5.2.D. Tennessee Valley Authority
- 5.3 State Partnerships
 - 5.3.A. TDEC Division of Water Supply
 - 5.3.B. State Revolving Fund
 - 5.3.C. Tennessee Department of Agriculture
 - 5.3.D. Alabama Department of Environmental Management

5.1. BACKGROUND. The Watershed Approach relies on participation at the federal, state, local and nongovernmental levels to be successful. Two types of partnerships are critical to ensure success:

- Partnerships between agencies
- Partnerships between agencies and landowners

This chapter describes both types of partnerships in Pickwick Lake Watershed. The information presented is provided by the agencies and organizations described.

5.2. FEDERAL PARTNERSHIPS.

5.2.A. Natural Resources Conservation Service. The Natural Resources Conservation Service (NRCS), an agency of the U.S. Department of Agriculture, provides technical assistance, information, and advice to citizens in their efforts to conserve soil, water, plant, animal, and air resources on private lands.

Performance & Results Measurement System (PRMS) is a Web-based database application providing USDA Natural Resources Conservation Service, conservation partners, and the public fast and easy access to accomplishments and progress toward strategies and performance. The PRMS may be viewed at http://prms.nrcs.usda.gov/prms. From the opening menu, select "Reports," then select the Conservation Treatment of interest on the page that comes up. Select the desired location and time period from the drop down menus and choose "Refresh." Choose "by HUC" in the "Location" option and choose "Refresh" again.

The data can be used to determine broad distribution trends in service provided to customers by NRCS conservation partnerships. These data do not show sufficient detail to enable evaluation of site-specific conditions (e.g., privately-owned farms and ranches) and are intended to reflect general trends.

CONSERVATION PRACTICE	TOTAL
Comprehensive Nutrient Management Plans (Number)	0
Conservation Buffers (Acres)	205
Erosion Reduction (Tons/Year)	19,080
Inventory and Evaluations (Number)	4
Irrigation Management (Acres)	0
Nutrient Management (Acres)	2,137
Pest Management (Acres)	1,968
Prescribed Grazing (Acres)	152
Residue Management (Acres)	0
Tree and Shrub Practices (Acres)	505
Waste Management (Number)	1
Wetlands Created, Restored, or Enhanced (Acres)	0
Wildlife Habitat (Acres)	655

Table 5-1. Landowner Conservation Practices in Partnership with NRCS in the Tennessee Portion of Pickwick Lake Watershed. Data are from PRMS for October 1, 2001 through September 30, 2002 reporting period. More information is provided in Pickwick-Appendix V.

<u>5.2.B.</u> United States Geological Survey Water Resources Programs – Tennessee <u>District.</u> The U.S. Geological Survey (USGS) provides relevant and objective scientific studies and information for public use to evaluate the quantity, quality, and use of the Nation's water resources. In addition to providing National assessments, the USGS also conducts hydrologic studies in cooperation with numerous Federal, State, and local agencies to address issues of National, regional, and local concern. Please visit http://water.usgs.gov/ for an overview of the USGS, Water Resources Discipline.

The USGS collects hydrologic data to document current conditions and provide a basis for understanding hydrologic systems and solving hydrologic problems. In Tennessee, the USGS records streamflow continuously at more than 89 gaging stations equipped with recorders and makes instantaneous measurements of streamflow at many other locations. Ground-water levels are monitored Statewide, and the physical, chemical, and biologic characteristics of surface and ground waters are analyzed. USGS activities also include the annual compilation of water-use records and collection of data for National baseline and water-quality networks. National programs conducted by the USGS include the National Atmospheric Deposition Program (http://bgs.usgs.gov/acidrain/), National Stream Quality Accounting Network (http://water.usgs.gov/nasgan/), and the National Water-Quality Assessment Program (http://water.usgs.gov/nawga/).

<u>USGS Water Resources Information on the Internet.</u> Real-time and historical streamflow, water levels, and water-quality data at sites operated by the Tennessee District can be accessed at http://waterdata.usgs.gov/tn/nwis/nwis. Data can be retrieved by county, hydrologic unit code, or major river basin using drop-down menus. Contact Donna Flohr at (615) 837-4730 or dfflohr@usgs.gov for specific information about streamflow data.

Recent publications by the USGS staff in Tennessee can be accessed by visiting http://tn.water.usgs.gov/pubpg.html. This web page provides searchable bibliographic information to locate reports and other products about specific areas.

5.2.C. U.S. Fish and Wildlife Service. The mission of the U.S. Fish and Wildlife Service is working with others to conserve, protect, and enhance fish, wildlife, and plants and their habitats for the continuing benefit of the American people. Sustaining our nation's fish and wildlife resources is a task that can be accomplished only through the combined efforts of governments, businesses, and private citizens. The U.S. Fish and Wildlife Service (Service) works with State and Federal agencies and Tribal governments, helps corporate and private landowners conserve habitat, and cooperates with other nations to halt illegal wildlife trade. The Service also administers a Federal Aid program that distributes funds annually to States for fish and wildlife restoration, boating access, hunter education, and related projects across America. The funds come from Federal excise taxes on fishing, hunting, and boating equipment.

Endangered Species Program. Through the Endangered Species Program, the Service consults with other federal agencies concerning their program activities and their effects on endangered and threatened species. Other Service activities under the Endangered Species Program include the listing of rare species under the Endangered Species Act (ESA) of 1973 (87 Stat. 884, as amended: 16 U.S.C. 1531 et seq.) and the recovery of listed species. Once listed, a species is afforded the full range of protections available under the ESA, including prohibitions on killing, harming or otherwise taking a species. The Service has designated Critical Habitat (50 CFR 17.95, page 422) for the Federally endangered slackwater darter (*Etheostoma boschungi*) in all permanent and intermittent tributaries, with flowing water from December to June, of Cypress and Middle Cypress Creek in Wayne County.

In some instances, species listing can be avoided by the development of Candidate Conservation Agreements, which may remove threats facing the candidate species, and

funding efforts such as the Private Stewardship Grant Program. For a complete listing of endangered and threatened species in the Pickwick Lake watershed, please visit the Service's website at http://www.cookeville.fws.gov.

Recovery is the process by which the decline of an endangered or threatened species is stopped and reversed, and threats to the species' survival are eliminated, so that long-term survival in nature can be ensured. The goal of the recovery process is to restore listed species to a point where they are secure and self-sustaining in the wild and can be removed from the endangered species list. Under the ESA, the Service and National Marine Fisheries Service were delegated the responsibility of carrying out the recovery program for all listed species.

In a partnership with the Tennessee Nature Conservancy (TNC), Tennessee Wildlife Resources Agency (TWRA), and Tennessee Department of Environment and Conservation (TDEC) Division of Natural Heritage, the Service is developing a State Conservation Agreement for Cave Dependent Species in Tennessee (SCA). The SCA targets unlisted but rare species and protects these species through a suite of proactive conservation agreements. The goal is to preclude the need to list these species under the ESA. This agreement will cover middle and eastern Tennessee and will benefit water quality in many watersheds within the State.

In an effort to preclude the listing of a rare species, the Service engages in proactive conservation efforts for unlisted species. The program covers not only formal candidates but other rare species that are under threat. Early intervention preserves management options and minimizes the cost of recovery.

Partners for Fish and Wildlife Program. The U.S. Fish and Wildlife Service established the Partners for Fish and Wildlife Program to restore historic habitat types that benefit native fishes and wildlife. The program adheres to the concept that restoring or enhancing habitats such as wetlands or other unique habitat types will substantially benefit federal trust species on private lands by providing food and cover or other essential needs. Federal trust species include threatened and endangered species, as well as migratory birds (e.g. waterfowl, wading birds, shorebirds, neotropical migratory songbirds).

Participation is voluntary and various types of projects are available. Projects include livestock exclusion fencing, alternate water supply construction, streambank stabilization, restoration of native vegetation, wetland restoration/enhancement, riparian zone reforestation, and restoration of in-stream aquatic habitats.

How To Participate:

- Interested landowners contact a "Partners for Fish and Wildlife" Biologist to discuss the proposed project and establish a site visit.
- A visit to the site is then used to determine which activities the landowner desires and how those activities will enhance habitat for trust resources. Technical advice on proposed activities is provided by the Service, as appropriate.
- Proposed cost estimates are discussed by the Service and landowner.

- A detailed proposal which describes the proposed activities is developed by the Service biologist and the landowner. Funds are competitive, therefore the proposal is submitted to the Service's Ecosystem team for ranking and then to the Regional Office for funding.
- After funding is approved, the landowner and the Service co-sign a Wildlife Extension Agreement (minimum 10-year duration).
- Project installation begins.
- When the project is completed, the Service reimburses the landowner after receipts and other documentation are submitted according to the Wildlife Extension Agreement.

For more information regarding the Endangered Species and Partners for Fish and Wildlife programs, please contact the Cookeville Ecological Services Field Office at 931/528-6481 or visit their website at http://www.cookeville.fws.gov.

5.2.D. Tennessee Valley Authority (TVA). Tennessee Valley Authority's (TVA) goals for the 21st century are to generate prosperity for the Tennessee Valley by promoting economic development, supplying low-cost, reliable power, and supporting a thriving river system. TVA is committed to the sustainable development of the region and is engaged in a wide range of watershed protection activities. TVA formed 11 multidisciplinary Watershed Teams to help communities across the Tennessee Valley actively develop and implement protection and restoration activities in their local watersheds. These teams work in partnership with business, industry, government agencies, and community groups to manage, protect, and improve the quality of the Tennessee River and its tributaries. TVA also operates a comprehensive monitoring program to provide real-time information to the Watershed Teams and other entities about the conditions of these resources. The following is a summary of TVA's resource stewardship activities in the Pickwick watershed.

MONITORING


Vital Signs Monitoring

<u>Reservoir Monitoring</u>: TVA has monitored the quality of water resources of Pickwick Reservoir regularly as part of its Vital Signs Monitoring effort since 1991. Physical, chemical, and biological indicators (dissolved oxygen, chlorophyll, sediment chemistry, benthos, and fish) provide information from various habitats on the ecological health of the reservoir. These parameters are sampled at the forebay station near Pickwick Dam (TRM 207.3), at mid-reservoir (TRM 230.0), and at the inflow station downstream of Wilson Dam (TRM 253). TVA has also monitored conditions in the Bear Creek embayment (AL and MS) since 1993 at BCM 8.4. Samples were collected annually from 1991 to 1994 and semiannually since. Only the forebay station is located in Tennessee.

Numeric ratings are given to all of the indicators sampled at each station. The lowest possible rating for any indicator is 1 (poorest condition) while the highest rating is 5 (best condition). Sediment chemistry is an exception; 0.5 is the lowest rating, 2.5 the highest. This information is used to evaluate conditions at each location as well as to develop an

ecological health score for the reservoir. To obtain this score, ratings from all locations are summed and divided by total possible points for the reservoir. The result is then multiplied by 100. The lowest possible score is 20, the highest is 100.

The following chart presents Pickwick Reservoir Vital Signs scores for each year for which data are comparable. Overall ecological health rating was fair in most years. High chlorophyll concentration and lower ratings in the Bear Creek embayment contributed to lower ratings. Dissolved oxygen, fish and benthos at the forebay station typically rates good each year. Sediment analysis has indicated no elevated levels of chemicals of concern. Reservoir Vital Signs samples were collected in again in 2002, however results are not yet available.



<u>Bacteriological sampling</u>: Two sites on Pickwick Reservoir in Tennessee were sampled ten times each for fecal coliform bacteria in 2002. Both sites met Tennessee's bacteriological criteria for water contact recreation. Tennessee's criteria for water contact recreation requires the collection of at least 10 fecal coliform samples within a 30 day period, with a geometric mean less than 200 fecal coliform colonies per 100 milliliters of water. Samples were collected at the following locations:

Site Name	Location	Type of Site
Pickwick Landing State Park beach	TRM 209 L	swim
Bruton Branch State Rec. Area beach	TRM 208 R	swim

Swimming beaches are sampled every year. Data from this sampling effort is shared in a timely manner with TDEC's Division of Water Pollution Control.

<u>Fish Flesh Toxic Contaminants</u>: The State of Tennessee has issued no advisories against eating fish from Pickwick Reservoir.

Further information on Vital Signs Monitoring can be obtained by writing to Tyler Baker at: Tennessee Valley Authority, 1101 Market Street, Chattanooga, Tennessee, 37402 or calling him at 423-876-6733. Email address: tfbaker@tva.gov

Stream Bioassessment

Condition of water resources in Pickwick watershed streams is measured using three independent methods; Index of Biotic Integrity (IBI), number of mayfly, stonefly, and caddisfly taxa (EPT), and Habitat Assessment. Not all of these tools were used at each stream sample site.

<u>IBI</u>: The index of biotic integrity (IBI) assesses the quality of water resources in flowing water by examining a stream's fish assemblage. Fish are useful in determining long-term (several years) effects and broad habitat conditions because they are relatively long-lived and mobile. Twelve metrics address species richness and composition, trophic structure (structure of the food chain), fish abundance, and fish health. Each metric reflects the condition of one aspect of the fish assemblage and is scored against reference streams in the region known to be of very high quality. Potential scores for each of the twelve metrics are 1-poor, 3-intermediate, or 5-the best to be expected. Scores for the 12 metrics are summed to produce the IBI for the site. The following table associates IBI ranges with attributes of fish assemblages.

Attributes	IBI Range
Comparable to the best situations without influence of man; all regionally expected species for the habitat and stream size, including the most intolerant forms, are present with full array of age and sex classes; balanced trophic structure.	58-60
Species richness somewhat below expectation, especially due to loss of most intolerant forms; some species with less than optimal abundance or size distribution; trophic structure shows some signs of stress.	48-52
Signs of additional deterioration include fewer intolerant forms, more skewed trophic structure (e.g., increasing frequency of omnivores); older age classes of top predators may be rare.	40-44
Dominated by omnivores, pollution-tolerant forms, and habitat generalists; few top carnivores; growth rates and condition factors commonly depressed; hybrids and diseased fish often present.	28-34
Few fish present, mostly introduced or tolerant forms; hybrids common; disease, parasites, fin damage, and other anomalies regular.	12-22

<u>EPT</u>: The number and types of aquatic insects, like fish, are indicative of the general quality of the environment in which they live. Unlike fish, aquatic insects are useful in determining short-term and localized impacts because they are short-lived and have limited mobility. The method TVA uses involves only qualitative sampling and field identification of mayflies (Ephemeroptera), stoneflies (Plecoptera), and caddisflies (Trichoptera) to the family taxonomic level (EPT). The score for each site is simply the number of EPT families. The higher EPT scores are indicative of high quality streams because these insect larvae are intolerant of poor water quality.

<u>Habitat Assessment</u>: The quality and quantity of habitat (physical structure) directly affect aquatic communities. Habitat assessments are done at most stream sampling sites to help interpret IBI and EPT results. If habitat quality at a site is similar to that found at a good reference site, any impacts identified by IBI and EPT scores can reasonably be attributed to water quality problems. However, if habitat at the sample site differs considerably from that at a reference site, lower than expected IBI and EPT scores might be due to degraded habitat rather than water quality impacts.

The habitat assessment method used by TVA (modified EPA protocol) compares observed instream, channel, and bank characteristics at a sample site to those expected at a similar high-quality stream in the region. Each of the stream attributes listed below is given a score of 1 (poorest condition) to 4 (best condition). The habitat score for the sample site is simply the sum of these attributes. Scores can range from a low of 10 to a high of 40.

- 1. Instream cover (fish)
- 2. Epifaunal substrate
- Embeddedness
- 4. Channel Alteration
- 5. Sediment Deposition
- 6. Frequency of Riffle
- 7. Channel Flow Status
- 8. Bank vegetation protection Left bank and right bank, separately
- 9. Bank stability Left bank and right bank, separately
- 10. Riparian vegetation zone width Left bank and right bank, separately

<u>Sample Site Selection</u>: EPT sampling and fish community assessment (IBI) are conducted at the same sites. Site selection is governed primarily by study objectives, stream physical features, and stream access. TVA's objective is to characterize the quality of water resources within a sub-watershed (11-digit hydrologic unit). Sites are typically located in the lower end of sub-watersheds and at intervals on the mainstem to integrate the effects of land use.

Only 4 sites are routinely sampled in the Tennessee portion of the Pickwick watershed: Second Creek at TN Hwy. 69, Dry Creek above the mouth, Little Cypress Creek at Whitten School Road and North Fork Cypress Creek along Natchez Trace Parkway. These sites are typically sampled every five years to keep a current picture of watershed condition. Results of the most recent surveys are summarized below.

	Year	Fish	EPT	Habitat
Dry Creek	2001	38-Fair/Poor	14-Good	28
Second Creek	2001	48-Good	14-Good	33
Little Cypress Creek	2002	48-Good	14-Good	29
N. Fork Cypress Creek	2002	44-Fair	14-Good	30

Details about stream bioassessment sampling sites and scores can be obtained by writing Charles Saylor at Tennessee Valley Authority, PO Box 920, Ridge Way Road, Norris, TN 37828 or calling him at 865-632-1779. Email address: cfsaylor@tva.gov

WATERSHED ASSISTANCE

Coalition Support

<u>Citizen Based Organizations</u>: Citizen based watershed organizations can play a critical role in watershed protection. TVA's watershed teams work to strengthen these organizations by providing assistance in the areas of understanding the local watershed, its conditions, impacts, and threats; developing and implementing strategies to protect or improve resource quality; fundraising; river issues; and organizational development. In 1999, TVA initiated a series of workshops for watershed organizations. Past workshops have covered, state and federal water quality protection programs, grant writing, fund raising, communication/outreach, and strategic planning.

<u>Inter-agency Partnerships:</u> The benefits of watershed partnerships are well documented. No one unit of government, agency, group or individual has all the knowledge, expertise or resources to address all watershed issues. Partnerships can tap a diversity of energy, talent, and ideas. Watershed partnerships can also promote a more efficient use of limited financial and human resources and can identify innovative and efficient means of improving or protecting water quality.

Although the Pickwick Watershed team actively works with these type organizations in the Alabama portion of the Pickwick Reservoir watershed, there is currently no group active in the Tennessee portion of the watershed.

Outreach

<u>National Clean Boating Campaign</u>: The National Clean Boating Campaign is a partnership program which highlights the importance of clean water so boating will continue to be fun and safe for future generations. The program demonstrates how boaters can be good stewards of their water environment through best boating and marina practices.

<u>Clean Marina Initiative</u>: The Tennessee Valley Clean Marina Initiative is an effort by TVA to promote environmentally-responsible marina practices. This voluntary program, established in support of the National Clean Boating Campaign, helps marina operators protect the resource that provides them with their livelihood.

Protection and restoration activities

<u>Promote Best Management Practices</u>: TVA provides funding and technical expertise to assist with instillation of best management practices (BMPs) that will reduce non-point pollution. TVA also works with partners to promote use of BMPs.

<u>Shoreline stabilization</u>: In September 2000, the Pickwick Watershed Team partnered with Pickwick Landing State Park to successfully stabilized approximately 500 feet of critically eroding reservoir shoreline in the Bruton Branch Recreational Area. In addition, the team provides technical assistance to stakeholders through individual landowner meetings and public workshops for those interested in stabilization on private shoreline areas.

<u>Promote Riparian Buffers</u>: An effective line of water quality protection is maintaining the vegetative plant cover along waterbodies. TVA encourages waterfront property owners to maintain or establish vegetated riparian buffers by providing information and materials to the riparian property owner. In 2002, TVA partnered with the Bruton Branch Homeowners Association to sponsor a riparian buffer workshop. Packages of native riparian plant seedlings were distributed to riparian property owners in the Bruton/Pompeys Branch watershed. TVA has also developed a series of 11 fact sheets that will enable riparian property owners to restore, manage, and be better stewards of riparian land. The fact sheets will be available on the TVA internet site (http://www.tva.com/river/landandshore/index.htm) in March, 2002.

Further information on TVA's Watershed Assistance activities in the Pickwick Watershed can be obtained by writing the Pickwick Watershed Team at: Tennessee Valley Authority, P.O. Box 1010, SB-1H, Muscle Shoals, AL 35662-1010 or calling them at 256/386-2228.

5.3. STATE PARTNERSHIPS.

5.3.A. TDEC Division of Water Supply. The Source Water Protection Program, authorized by the 1996 Amendments to the Safe Drinking Water Act, outline a comprehensive plan to achieve maximum public health protection. According to the plan, it is essential that every community take these six steps:

- 1) Delineate the drinking water source protection area
- 2) Inventory known and potential sources of contamination within these areas
- Determine the susceptibility of the water supply system to these contaminants
- 4) Notify and involve the public about threats identified in the contaminant source inventory and what they mean to their public water system
- 5) Implement management measures to prevent, reduce or eliminate threats
- 6) Develop contingency planning strategies to deal with water supply contamination or service interruption emergencies (including natural disaster or terrorist activities).

Source water protection has a simple objective: to prevent the pollution of the lakes, rivers, streams, and ground water (wells and springs) that serve as sources of drinking water before they become contaminated. This objective requires locating and addressing potential sources of contamination to these water supplies. There is a growing recognition that effective drinking water system management includes addressing the quality and protection of the water sources.

Source Water Protection has a significant link with the Watershed Management Program goals, objectives and management strategies. Watershed Management looks at the health of the watershed as a whole in areas of discharge permitting, monitoring and protection. That same protection is important to protecting drinking water as well. Communication and coordination with a multitude of agencies is the most critical factor in the success of both Watershed Management and Source Water Protection.

Watershed management plays a role in the protection of both ground water and surface water systems. Watershed Management is particularly important in areas with karst {limestone characterized by solution features such as caves and sinkholes as well as disappearing streams and spring} since the differentiation between ground water and surface water is sometimes nearly impossible. What is surface water can become ground water in the distance of a few feet and vice versa.

Source water protection is not a new concept, but an expansion of existing wellhead protection measures for public water systems relying on ground water to now include surface water. This approach became a national priority, backed by federal funding, when the Safe Drinking Water Act amendments (SDWA) of 1996 were enacted. Under this Act, every public drinking water system in the country is scheduled to receive an assessment of both the sources of potential contamination to its water source of the threat these sources may pose by the year 2003 (extensions are available until 2004). The assessments are intended to enhance the protection of drinking water supplies within existing programs at the federal, state and local levels. Source water assessments were mandated and funded by Congress. Source water protection will be

left up to the individual states and local governments without additional authority from Congress for that progression.

As a part of the Source Water Assessment Program, public water systems are evaluated for their susceptibility to contamination. These individual source water assessments with susceptibility analyses are available to the public at http://www.state.tn.us/environment/dws as well as other information regarding the Source Water Assessment Program and public water systems.




Figure 5-1. Susceptibility for Contamination in the Pickwick Lake Watershed.




Figure 5-2. July 2004 Raw Water Total Organic Carbon (TOC) Analysis in the Pickwick Lake Watershed.

For further discussion on ground water issues in Tennessee, the reader is referred to the Ground Water Section of the 305(b) Water Quality Report at http://www.tdec.net/water.shtml.

5.3.B. State Revolving Fund. TDEC administers the state's Clean Water State Revolving Fund Program. Amendment of the Federal Clean Water Act in 1987 created the Clean Water State Revolving Fund (SRF) Program to provide low-interest loans to cities, counties, and utility districts for the planning, design, and construction of wastewater facilities. The U.S. Environmental Protection Agency awards annual capitalization grants to fund the program and the State of Tennessee provides a twenty-percent funding match. TDEC has awarded loans totaling approximately \$550 million since the creation of the SRF Program. SRF loan repayments are returned to the program and used to fund future SRF loans.

SRF loans are available for planning, design, and construction of wastewater facilities, or any combination thereof. Eligible projects include new construction or upgrading/expansion of existing facilities, including wastewater treatment plants, pump stations, force mains, collector sewers, interceptors, elimination of combined sewer overflows, and nonpoint source pollution remedies.

SRF loan applicants must pledge security for loan repayment, agree to adjust user rates as needed to cover debt service and fund depreciation, and maintain financial records that follow governmental accounting standards. SRF loan interest rates range from zero percent to market rate, depending on the community's per-capita income, taxable sales, and taxable property values. Most SRF loan recipients qualify for interest rates between 2 and 4 percent. Interest rates are fixed for the life of the term of the loan. The maximum loan term is 20 years or the design life of the proposed wastewater facility, whichever is shorter.

TDEC maintains a Priority Ranking System and Priority List for funding the planning, design, and construction of wastewater facilities. The Priority Ranking List forms the basis for funding eligibility determinations and allocation of Clean Water SRF loans. Each project's priority rank is generated from specific priority ranking criteria and the proposed project is then placed on the Project Priority List. Only projects identified on the Project Priority List may be eligible for SRF loans. The process of being placed on the Project Priority List must be initiated by a written request from the potential SRF loan recipient or their engineering consultant. SRF loans are awarded to the highest priority projects that have met SRF technical, financial, and administrative requirements and are ready to proceed.

Since SRF loans include federal funds, each project requires development of a Facilities Plan, an environmental review, opportunities for minority and women business participation, a State-approved sewer use ordinance and Plan of Operation, and interim construction inspections.

For further information about Tennessee's Clean Water SRF Loan Program, call (615) 532-0445 or visit their Web site at http://www.tdec.net/srf.




Figure 5-3. Location of Communities Receiving SRF Loans or Grants in the Tennessee Portion of the Pickwick Lake Watershed. More information is provided in Pickwick-Appendix V.

5.3.C. Tennessee Department of Agriculture. The Tennessee Department of Agriculture's Water Resources Section consists of the federal Section 319 Nonpoint Source Program and the Agricultural Resources Conservation Fund Program. Both of these are grant programs which award funds to various agencies, non-profit organizations, and universities that undertake projects to improve the quality of Tennessee's waters and/or educate citizens about the many problems and solutions to water pollution. Both programs fund projects associated with what is commonly known as "nonpoint source pollution."

The Tennessee Department of Agriculture's Nonpoint Source Program (TDA-NPS) has the responsibility for management of the federal Nonpoint Source Program, funded by the US Environmental Protection Agency through the authority of Section 319 of the Clean Water Act. This program was created in 1987 as part of the reauthorization of the Clean Water Act, and it established funding for states, territories and Indian tribes to address NPS pollution. Nonpoint source funding is used for installing Best Management Practices (BMPs) to stop known sources of NPS pollution, training, education, demonstrations and water quality monitoring. The TDA-NPS Program is a non-regulatory program, promoting voluntary, incentive-based solutions to NPS problems. The TDA-NPS Program basically funds three types of programs:

- BMP Implementation Projects. These projects aid in the improvement of an impaired waterbody, or prevent a non-impaired water from becoming listed on the 303(d) List.
- Monitoring Projects. Up to 20% of the available grant funds are used to assist the water quality monitoring efforts in Tennessee streams, both in the state's 5-year watershed monitoring program, and also in performing before-and-after BMP installation, so that water quality improvements can be verified. Some monitoring in the Pickwick Lake Watershed was funded under an agreement with the Tennessee Department of Agriculture, Nonpoint Source Program, and the U.S. Environmental Protection Agency Assistance Agreements C9994674-99-0, C9994674-00-0, and C9994674-01-0.
- Educational Projects. The intent of educational projects funded through TDA-NPS is to raise the awareness of landowners and other citizens about practical actions that can be taken to eliminate nonpoint sources of pollution to the waters of Tennessee.

The Tennessee Department of Agriculture Agricultural Resources Conservation Fund Program (TDA-ARCF) provides cost-share assistance to landowners across Tennessee to install BMPs that eliminate agricultural nonpoint source pollution. This assistance is provided through Soil Conservation Districts, Resource Conservation and Development Districts, Watershed Districts, universities, and other groups. Additionally, a portion of the TDA-ARCF is used to implement information and education projects statewide, with the focus on landowners, producers, and managers of Tennessee farms and forests.

Participating contractors in the program are encouraged to develop a watershed emphasis for their individual areas of responsibility, focusing on waters listed on the Tennessee 303(d) List as being impaired by agriculture. Current guidelines for the TDA-ARCF are available. Landowners can receive up to 75% of the cost of the BMP as a reimbursement.

Since January of 1999, the Department of Agriculture and the Department of Environment and Conservation have had a Memorandum of Agreement whereby complaints received by TDEC concerning agriculture or silviculture projects would be forwarded to TDA for investigation and possible correction. Should TDA be unable to obtain correction, they would assist TDEC in the enforcement against the violator. More information about the joint policy to address Bad Actors in forestry operations is available at http://www.state.tn.us/environment/news/release/jan99/badact.htm




Figure 5-4. Location of BMPs installed from 1999 through 2002 in the Tennessee Portion of the Pickwick Lake Watershed with Financial Assistance from the Tennessee Department of Agriculture's Nonpoint Source and Agricultural Resources Conservation Fund Grant Programs.

5.4.D. Alabama Department of Environmental Management. Alabama has a long history of water quality partnerships in the Tennessee River Basin. The most recent development affecting the role and depth of such efforts within the Valley include the creation of the Alabama Clean Water Partnership (CWP). The CWP is a coalition of public and private individuals, companies, organizations and governing bodies working together to protect and preserve water resources and aquatic ecosystems. The CWP has a strong presence in the Pickwick Lake Hydrologic Unit through the Tennessee River Basin Clean Water Partnership Steering Committee and sub-basin committees. Like similar committees established throughout the other river basins of the State, the CWP efforts in the Pickwick Lake Hydrologic Unit are focused on the development of new partnerships, support of existing partnerships and the funding to support water quality projects. Recent efforts by the CWP have resulted in several new watershed

projects in the Pickwick Lake Hydrologic Unit that are scheduled to receive funding through Alabama's Nonpoint Source Management Program.

The CWP is currently working closely with the Alabama Department of Environmental Management to facilitate stakeholder-led, long-term water quality planning efforts and to develop watershed management plans by river basin and to develop specific restoration plans for impaired waterbodies. These planning efforts will help target waterbodies and watersheds for concentrated efforts in future years.

A number of local partnerships and water quality projects currently active in the Tennessee River Basin occur in the Pickwick Lake Hydrologic Unit. To date, 3 long-term watershed projects have developed in the Pickwick sub-basin with combinations of financial support from Section 319 grants, Tennessee Valley Authority, Soil & Water Conservation Districts, industry, foundations and local government sources.

Partnerships and watershed projects exist in the Big Nance Creek and Cypress Creek watersheds. While the Big Nance Creek projects addresses agricultural runoff, the Cypress Creek project is focused on the protection of source water from increasing urban and agricultural pressure. A newly funded project on Second Creek will address agricultural issues when implemented.

For more information concerning Clean Water Partnership activities in the Tennessee Valley of Alabama, contact Vicky Mitchell, Basin Facilitator by phone at (256) 353-6146 x2, or by E-mail: sobroke@aol.com.

For information regarding Clean Water Partnership activities elsewhere in Alabama, you may contact the ADEM website http://www.adem.state.al.us, the Clean Water Partnership website http://www.cleanwaterpartnership.org or call Allison Newell, Statewide ACWP Coordinator at 1-888-3 Got H2O.